

TEST		80 OCTANE	90 OCTANE	92 OCTANE	95 OCTANE
DENSITY at 15/4 °C		report	report	Report	Report
Colour		Red	Green	Colorless	Colorless
Distillation					
10% Distilled at ° C	max.	70	70	70	70
50% Distilled at °C	max.	105	115	120	120
90% Distilled at ° C	max.	165	170	175	180
Final Boiling point ° C	max.	190	195	200	200
Residue & loss % Vol.	max.	2	2	2	2
Reid Vapor pressure At 37. 8C° Kg/Cm ²	WINTER max.	0.7(69)	0.7(69)	0.7(69)	0.7(69)
	SUMMER max	0.63(62)	0.63(62)	0.63(62)	0.63(62)
Octane No. Research method	min.	80	90	92	95
Existent Gum Mg/100 mL	max.	2	3	3	3
Total Sulpher % Wt	max.	0.05	0.05	0.05	0.05
Corrosion copper strip at 50 °C (FOR THREE HOURS)	max.	1	1	1	1
LEAD (impurities) @ 15 °C gm/l	max.	0.013	0.013	0.013	0.013
***Oxygenates % Wt.	max.	2.7	2.7	2.7	2.7